



SECTION 5400



QUALITY PROFESSIONAL TOOLS


SCREWDRIVERS

AISI 6150 chrome vanadium steel blades. Shockproof, breakproof, plastic (UL) handles.



ROUND BLADE			SQUARE BLADE			PHILLIPS			FREARSON (Reed & Prince)						
Number	Size Blade	Net	Number	Size Blade	Net	Number	Point Size	Size Blade	Net	Number	Point Size	Size Blade	Net		
Regular															
R182	1/8" x 2"	.33	S3163	3/16" x 3"	.66	X1010	1	3/16" x 10"	\$1.14	RP101	1	5/16" x 3"	.75		
R184	1/8" x 4"	.42	S3164	3/16" x 4"	.72	X1020	2	1/4" x 10"	1.29	RP102	2	1/4" x 4"	.90		
R186	1/8" x 6"	.48	S3166	3/16" x 6"	.84	Extra Long						RP103	3	5/16" x 6"	1.20
R188	1/8" x 8"	.57	S3168	3/16" x 8"	.96	X100	0	1/8" x 2"	.48	RP104	4	3/8" x 8"	1.50		
R1810	1/8" x 10"	.69	S31610	3/16" x 10"	1.14	X101	1	3/16" x 3"	.75	CLUTCH HEAD					
R5323	5/32" x 3"	.45	S142	1/4" x 2"	.75	X108	1	3/16" x 6"	.84	Type G	Tip No.	Size Blade	Net		
R5324	5/32" x 4"	.45	S144	1/4" x 4"	.90	X102	2	3/4" x 4"	.93	G3324	3/32"	1/8" x 4"	.78		
R5325	5/32" x 5"	.48	S146	1/4" x 6"	.99	X103	3	5/16" x 6"	1.26	G183	1/8"	5/16" x 3"	.78		
R5328	5/32" x 8"	.63	S148	1/4" x 8"	1.11	X104	4	3/8" x 8"	1.59	G5324	5/32"	3/16" x 4"	.93		
R3163	3/16" x 3"	.60	S1424	1/4" x 24"	2.40	Stubby			G3164	3/16"	1/4" x 4"	.93			
R3164	3/16" x 4"	.69	S5162	5/16" x 2"	.81	SX101	1	3/16" x 17 1/16"	.69	G146	1/4"	5/32" x 6"	1.17		
R3166	3/16" x 6"	.75	S5164	5/16" x 4"	.99	SX102	2	1/4" x 15 1/16"	.78	G5166	5/16"	3/8" x 6"	1.44		
R3168	3/16" x 8"	.87	S5166	5/16" x 6"	1.14	Pocket Clip Style			NON-MAGNETIC BERYLLIUM —						
R31610	3/16" x 10"	.99	S5168	5/16" x 8"	1.26	P12S	0	1/8" x 2"	.39	Copper blades					
R142	1/4" x 8"	.69	S51610	5/16" x 10"	1.44	ALLEN TYPE			Non-sparking.						
R144	1/4" x 4"	.87	S51612	5/16" x 12"	1.68	Higher fatigue resistance than steel.			Non-sparking.						
R146	1/4" x 6"	.96	S388	3/8" x 8"	1.50	Number	Hex Size	Blade Length	Net	Number	Size Blade	Regular	Net		
R148	1/4" x 8"	1.02	S3812	3/8" x 12"	2.40	LN20	.050"	4"	.69	BR186	1/8" x 6"		.84		
R1410	1/4" x 10"	1.08	S3818	3/8" x 18"	2.70	LN21	5/16"	4"	.69	BR1810	1/8" x 10"		.96		
R5164	5/16" x 4"	.96	S7166	7/16" x 6"	1.95	LN22	5/64"	4"	.69	BR3168	5/16" x 8"		1.44		
R5166	5/16" x 6"	1.08	S71612	7/16" x 12"	2.40	LN23	3/32"	4"	.69	BR146	1/4" x 6"		1.80		
R5168	5/16" x 8"	1.17	S71618	7/16" x 18"	2.70	LN764	7/64"	4"	.69	BR148	1/4" x 8"		1.95		
Pocket Clip Style			Stubby			LN24	1/8"	4"	.75	Pocket-Clip Style					
R3322	3/32" x 2"	.30	S3161	3/16" x 1"	.48	LN964	5/64"	4"	.75	BR181	1/8" x 2"		.36		
R3323	3/32" x 3"	.33	S141	1/4" x 1"	.51	LN25	5/32"	6"	.75						
R3324	3/32" x 4"	.33				LN26	3/16"	6"	.75						
R181	1/8" x 2"	.30				LN27	7/32"	6"	.84						
R183	1/8" x 3"	.33				LN28	1/4"	6"	.87						
R184 1/2	1/8" x 4"	.36													

SUBJECT TO CHANGE WITHOUT NOTICE



QUALITY PROFESSIONAL TOOLS

COMBINATION-REVERSIBLE SCREWDRIVERS

AISI 6150 chrome vanadium steel blades. Shockproof, breakproof, plastic (UL) handles. Patented spring holds blades securely. $\frac{1}{16}$ " hex opening doubles as a nutdriver.

COMPLETE UNITS

Regular Type	Net
CR1—No. 25 handle & RB1 blade	\$1.47
CR2—No. 25 handle & RB2 blade	1.47
CR3—No. 25 handle & RB3 blade	1.47

Stubby Type

CS1—No. 26 handle & SB1 blade	1.41
CS2—No. 26 handle & SB2 blade	1.41

HANDLES ONLY

25—Regular	.63
26—Stubby	.60

BLADES ONLY

Regular Type	Net
RB1—No. 1 Phillips & $\frac{1}{16}$ " Slotted	.84
RB2—No. 2 Phillips & $\frac{1}{4}$ " Slotted	.84
RB3—No. 3 Phillips & $\frac{5}{16}$ " Slotted	.84
RB12—No. 1 & No. 2 Phillips.....	.99
GB1— $\frac{1}{16}$ "G & $\frac{3}{32}$ "G Clutch.....	.99
GB2— $\frac{1}{16}$ "G & $\frac{1}{4}$ "G Clutch.....	.99

Stubby Type

SB1—No. 1 Phillips & $\frac{1}{16}$ " Slotted	\$.81
SB2—No. 2 Phillips & $\frac{1}{4}$ " Slotted	.81
GS1— $\frac{1}{16}$ "G & $\frac{3}{32}$ "G Clutch.....	.87

POCKET ROLL KITS

CK2—Contains RB1, RB2 blades and No. 25 handle	\$2.85
CK3—Same as CK2, plus RB3 blade..	3.69
CK5—Same as CK2, plus RB3, GB1, and GB2 blades	5.67

PLASTIC VIEW KITS

SK20—Contains SB1, SB2 blades and No. 26 handle	\$2.49
CK20—Contains RB1, RB2 blades and No. 25 handle	2.94

CK23—Same as CK20, plus RB3 blade	3.78
-----------------------------------	------

COMBINATION SCREW AND NUTDRIVER TOOL


600—Handy 4-way tool with pocket clip.	
1/4" and $\frac{1}{16}$ " hex openings. Reversible SB1 blade	Net \$1.50



CR3



RB2



SB1



CS2




CK20



600

NUTDRIVERS (Color-Coded Handles)

Polished-plated, steel shafts. Shockproof, breakproof, plastic (UL) handles. Precision, cold drawn, case hardened sockets.



SOLID SHAFT — REGULAR

Handle	Hex	Opening	Net
(6" Overall Length)			
5 Amber	$\frac{5}{32}$ "	.78	
6 Black	$\frac{3}{16}$ "	.78	
7 Brown	$\frac{7}{32}$ "	.78	
8 Red	$\frac{1}{4}$ "	.78	
9 Orange	$\frac{3}{32}$ "	.78	
10 Amber	$\frac{5}{32}$ "	.78	
11 Green	$\frac{11}{32}$ "	.78	
12 Blue	$\frac{3}{8}$ "	.78	
(7 $\frac{1}{4}$ " Overall Length)			
14 Brown	$\frac{7}{16}$ "	.99	
16 Red	$\frac{1}{2}$ "	.99	

STUBBY

(3 $\frac{1}{4}$ " Overall Length)			
S6 Black	$\frac{3}{16}$ "	.69	
S8 Red	$\frac{1}{4}$ "	.69	
S10 Amber	$\frac{5}{32}$ "	.69	
S11 Green	$\frac{11}{32}$ "	.69	
S12 Blue	$\frac{3}{8}$ "	.69	

POCKET CLIP STYLE

(3 $\frac{1}{2}$ " Overall Length)			
P3 Amber	$\frac{3}{32}$ "	.51	
P4 Red	$\frac{1}{8}$ "	.51	
P5 Amber	$\frac{5}{32}$ "	.51	
P6 Black	$\frac{3}{16}$ "	.51	
P7 Brown	$\frac{7}{32}$ "	.51	
P8 Red	$\frac{1}{4}$ "	.51	
P9 Orange	$\frac{9}{32}$ "	.51	
P10 Amber	$\frac{5}{16}$ "	.51	
P11 Green	$\frac{11}{32}$ "	.51	
P12 Blue	$\frac{3}{8}$ "	.51	

HOLLOW SHAFT — REGULAR

Handle	Hex	Opening	Net
(6 $\frac{1}{8}$ " Overall Length)			
HS6 Black	$\frac{3}{16}$ "	\$.93	
HS7 Brown	$\frac{7}{32}$ "	.93	
(7" Overall Length)			
HS8 Red	$\frac{1}{4}$ "	\$.93	
HS9 Orange	$\frac{9}{32}$ "	.93	
HS10 Amber	$\frac{5}{16}$ "	.93	
HS11 Green	$\frac{11}{32}$ "	.93	
HS12 Blue	$\frac{3}{8}$ "	.93	
(7 $\frac{1}{4}$ " Overall Length)			
HS13 Amber	$\frac{13}{32}$ "	\$1.05	
HS14 Brown	$\frac{15}{32}$ "	1.05	
HS15 Amber	$\frac{19}{32}$ "	1.08	
HS16 Red	$\frac{1}{2}$ "	1.08	
HS17 Amber	$\frac{17}{32}$ "	1.14	
HS18 Orange	$\frac{9}{16}$ "	1.14	
HS19 Amber	$\frac{19}{32}$ "	1.26	
HS20 Amber	$\frac{5}{8}$ "	1.26	
HS22 Amber	$\frac{11}{32}$ "	1.59	
HS24 Amber	$\frac{3}{4}$ "	1.59	
(9" Overall Length)			
A6 Black	$\frac{3}{16}$ "	\$1.11	
A7 Brown	$\frac{7}{32}$ "	1.11	
A8 Red	$\frac{1}{4}$ "	1.11	
A9 Orange	$\frac{9}{32}$ "	1.11	
A10 Amber	$\frac{5}{16}$ "	1.11	
A11 Green	$\frac{11}{32}$ "	1.11	
A12 Blue	$\frac{3}{8}$ "	1.11	

EXTERNAL HEX

(For control shaft nuts on Arvin and Philco portable stereo sets. 6 $\frac{1}{4}$ " Overall Length. $\frac{1}{16}$ " External Hex.)

PN-716 Black \$.93



77



HS16-18



127TB



137TB




147TB

SUBJECT TO CHANGE WITHOUT NOTICE



QUALITY PROFESSIONAL TOOLS


SERIES "99" SERVICE KITS, BLADES, AND HANDLES



No. 99MP MULTI-PURPOSE TOOL KIT

39-piece kit contains 99-1 (Regular) and 99-4 (Tee) handles, ten regular nutdrivers (99-5 thru 99-16), nine Allen Hex type screwdrivers (99-20, thru 99-26), nine Bristol Multiple Spline screwdrivers (99-61 thru 99-69), three slotted screwdrivers (99-811, 99-250, 99-312), two Phillips screwdrivers (99-821, 99-822), two reamers (99-38, 99-39), awl/scriber (99-70), extension blade (99-X5).

99MPK, Canvas case only..... Net \$28.35



No. 99SM SERVICE MASTER

23-piece kit contains 99-1 (Regular) and 99-3 (Stubby) handles, nine regular and three stubby nutdrivers (99-6 thru 99-16), two slotted screwdrivers (99-811, 99-812), one Phillips screwdriver (99-821), two reamers (99-38, 99-39), extension blade (99-X10), 6" long nose cushion grip plier (52CG), 5" diagonal cushion grip plier (55CG), 6" adjustable wrench (46C).

99SMK, Canvas case only..... Net \$2.25


ROLL KITS

No. 99PR

Contains nine regular nutdrivers (99-6 thru 99-16), 99-81 (Slotted) and 99-82 (Phillips) reversible screwdriver blades, 99-1 handle (Regular). **99K**, Kit only Net \$1.05

No. 99JR

Contains seven regular nutdrivers (99-6 thru 99-12) four screwdriver blades 99-811 and 99-812 (Slotted), and 99-821 and 99-822 (Phillips), 99-2 handle (Junior). **99KJR**, Kit only Net \$1.05



No. 99LN

Contains six Allen type screwdriver blades (99-21, 22, 23, 24, 25, 26) and 99-1 handle (Regular).

No. 99-30 CLEAR PLASTIC POUCH

Heat sealed plastic snap case with size numbers on pockets for convenient selecting and storing. Contains six Allen type screwdriver blades (99-21, 22, 23, 24, 25 and 26).

PLASTIC VIEW KITS

No. 99SL

Contains five Scrulox® screwdriver blades for square recess screws (SL 00, 0, 1, 2, 3), 99-1 handle (Regular).


No. 99PV4

Contains three slotted screwdriver blades (99-811, 99-250, 99-312), 99-1 handle (Regular).

No. 99PV6

Net \$3.75

Contains three slotted screwdriver blades (99-811, 99-250, 99-312), two Phillips screwdriver blades (99-821, 99-822), 99-1 handle (Regular).




99-1 (1 1/16" x 4 1/8") Regular Handle (for all blades, single-end and reversible)	\$.69
99-2 (1" x 3 1/8") Junior Handle (for single-end blades only)63
99-3 (1/16" x 2") Stubby Handle (for single-end blades only)60
99-4 (1" x 3 3/8") Tee Handle (for single-end blades only)90

Nutdriver Blades: 99-5 (5/32"), 99-6 (3/16"), 99-7 (7/32"), 99-8 (1/4"), 99-9 (9/32"), 99-10 (5/16"), 99-11 (1 1/32"), 99-12 (3/8"), 99-14 (7/16"), 99-16 (1/2")	\$.60
	.75



Stubby Nutdriver Blades: 99-S8, 99-S10, 99-S1248
--	-----



Allen Type Screwdriver Blades: 99-20 (.050"), 99-21 (1/16"), 99-22 (5/64"), 9-23 (3/32"), 99-764 (7/64"), 99-24 (1/8"), 99-964 (5/64"), 99-25 (3/32"), 99-26 (1/16")54
--	-----



Bristol Multiple-Spline Type Screwdriver Blades: 99-61 (.048", flute), 99-62 (.060", 6-flute), 99-63 (.069", 4-flute), 99-64 (.072", 6-flute), 99-65 (.076", 4-flute), 99-66 (.096", 6-flute), 99-67 (.111", 6-flute), 99-68 (.145", 6-flute), 99-69 (.183", 6-flute)54
---	-----



99-81 Slotted Screwdriver Reversible Blade (3/16" & 5/32")	1.02
--	------




99-82 Phillips Screwdriver Reversible Blade (#1 & #2)	1.02
---	------




99-83 Reed & Prince Screwdriver Reversible Blade (3/16" & 5/32")	1.02
--	------




99-84 Clutch "G" Screwdriver Reversible Blade (3/16" & 5/32")	1.02
---	------




Slotted Screwdriver Blades: Tapered tip—99-811 (3/16"), 99-250 (1/4"), 99-812 (5/32")60
Flared tip — 99-312 (5/16")60




Phillips Screwdriver Blades: 99-821 (#1), 99-822 (#2)60
---	-----



Reamers: 99-38 (1/8" - 3/8")	1.32
99-39 (1/4" - 1/2")	1.65



99-X5 Extension Shaft. Adds 4" reach to single-end blades90
---	-----



99-X10 Extension Shaft. Adds 7" reach to single-end blades90
--	-----

99-70 Awl/Scriber (4 1/2")60
----------------------------------	-----

SUBJECT TO CHANGE WITHOUT NOTICE



QUALITY PROFESSIONAL TOOLS

COMPACT SETS


Series "99" Sets

Each set contains a Series "99" regular handle and various Series "99" interchangeable blades. See-thru plastic case is pocket size, has flat base that permits its use as a bench stand.

No. 99PS-40 ALLEN HEX TYPE SCREWDRIVER SET

Includes nine Allen Hex type screwdriver blades (99-20 thru 99-26), 99-X5 extension blade, 99-1 handle, and see-thru case.

Net \$6.75



No. 99-PS50 NUTDRIVER/SCREWDRIVER SET

Includes seven regular nutdriver blades (99-6 thru 99-12), two slot tip screwdriver blades (99-811 and 99-812), two Phillips screwdriver blades (99-821 and 99-822), 99-X5 extension blade, 99-1 handle, and see-thru case.

Net \$8.55

No. 99PS-60 BRISTOL MULTIPLE-SPLINE TYPE SCREWDRIVER SET

Includes nine Bristol Multiple-Spline type screwdriver blades (99-61 thru 99-69), 99-X5 extension blade, 99-1 handle, and see-thru case.


Net \$6.75

REGULAR AND JR. SEIZERS®

Outreach, outhold needle nose pliers. Clamp tightly. Hold wires for soldering and serve as heat sinks. Retrieve small parts. Two-position snap-lock. Stainless steel, box-joint construction. Precision machined and tempered.

Regular 6" Seizers have serrated jaws. Jr. Seizers are 5" long, have smooth jaws that won't mar delicate materials.


Number	Net
42H—6" Straight Nose	\$3.93
43H—6" Curved Nose	4.07
32H—5" Straight Nose	3.93
33H—5" Curved Nose	4.07



ADJUSTABLE WRENCHES

Thin-pattern permits access to close-quarter work. Chrome-plated forged alloy steel. Polished heads.

Plain Handle	Cushion Grip			
Number	Net	Size	Number	Net
44C	\$2.16.....	4"	44CG	\$2.40
46C	2.19.....	6"	46CG	2.48
48C	2.48.....	8"	48CG	2.77
40-10C	3.20.....	10"	40-10CG	3.60
40-12C	4.67.....	12"	40-12CG	5.07




Convertible Nutdriver and Screwdriver Sets

Black plastic torque amplifier handle (1" x 3½") slips over handles of pocket size (3½") nutdrivers and screwdrivers . . . provides larger grip, extends reach and increases driving power to that of standard size tools. See-thru plastic case fits pocket, stands upright on bench.

No. PS7 NUTDRIVER/SCREWDRIVER SET

Contains two nutdrivers (¼" and 5/16"), two slot tip screwdrivers (5/16" and 3/32"), two Phillips screwdrivers (#0 and #1), hollow handle, and case. Net \$3.60




No. PS44 SCRULOX SCREWDRIVER SET

Includes five Scrulox screwdrivers (#1 thru #14), one nutdriver (1/4"), hollow handle, and case. Net \$3.45

No. PS88 SCREWDRIVER SET

Contains five slot tip screwdrivers (3/32", 1/8", 5/32", 3/16", 1/4"), three Phillips screwdrivers (#0, #1, #2), hollow handle, and case, Net \$3.93




No. PS120 NUTDRIVER SET

Contains ten color coded nutdrivers (5/32" thru 3/8"), hollow handle, and case. Net \$5.55


No. K22 ELECTRICIAN'S KNIFE

Two blades. One is combination insulation-scaper and screwdriver. Has positive lock when openNet \$2.13



No. 150 TOOL HOLSTER

Has tape holder, knife clip, and 5 tool pockets. Durably made of pliable saddle leather with natural cowhide finish. Features comfortable hip-contoured back, hot-waxed stitching, and brass rivets.....Net \$3.80







QUALITY PROFESSIONAL TOOLS

PLIERS

Precision-machined forged alloy steel. Perfectly aligned jaws. Hand-honed, mated cutting edges. Polished heads.



Number		Net
59CG	— CHAIN NOSE ELECTRICIAN'S PLIERS (8")—Cushion Grip.....	\$3.07
75C	— COMBINATION SLIP JOINT PLIER (5")—Chrome-Plated.....	1.20
76C	— COMBINATION SLIP JOINT PLIER (6")—Chrome-Plated.....	1.27
76S	— Satin Finish.....	.75
78C	— COMBINATION SLIP JOINT PLIER (8")—Chrome-Plated.....	1.60
54	— DIAGONAL PLIER (Midget 4").....	2.64
	54CG — Cushion Grip	2.93
55	— DIAGONAL PLIER (5").....	2.53
	55CG — Cushion Grip	2.87
66CG	— DIAGONAL PLIER (6")—Cushion Grip.....	3.20




Number		Net
67	— DIAGONAL PLIER (7")	2.93
	67CG — Cushion Grip	3.27
41CG	— LONG NOSE PLIER (Midget 4")—Without Side Cutters— Cushion Grip	2.64
52	— LONG NOSE PLIER (6")—Without Side Cutters.....	2.27
	52CG — Cushion Grip	2.53
51	— LONG NOSE PLIER (6")—With Side Cutters.....	2.85
	51CG — Cushion Grip	3.20




Number		Net
56CG	— NEEDLE NOSE PLIER (6")—Cushion Grip.....	2.93
58CG	— RADIO AND TV PLIER (6")—Cushion Grip.....	3.73
60CG	— SIDE CUTTING PLIER (6")—Cushion Grip.....	3.00
68CG	— SIDE CUTTING PLIER (8")—Cushion Grip	3.60
62CG	— TRAVERSE CUTTING PLIER (6")—Cushion Grip.....	3.67
53CG	— UTILITY PLIER (6")—Forged Rib-Lock—Cushion Grip.....	2.19
63	— UTILITY PLIER (10")—Forged Rib-Lock	2.53
	63CG — Cushion Grip	3.07

MINIATURE ELECTRONIC PLIERS

Small, lightweight. For handling fine wires. All cushion grip handles. Coil spring openers. Polished heads and shoulders.




Number		Net
70CG	— FLAT NOSE PLIERS (4½").....	\$3.25
71CG	— ROUND NOSE PLIERS (4½").....	3.27
72CG	— CHAIN NOSE PLIERS (4").....	3.33



Number		Net
73CG	— SPECIAL TIP CUTTING PLIERS (4½").....	4.27
74CG	— DIAGONAL FLUSH CUTTING PLIERS (4").....	4.32
69CG	— RADIO AND TV PLIER (5").....	5.00

No. 86CG ELECTRONIC SNIPS

6½" size. Shearing action of pointed blades (1½" cut) prevents peaks on fine wire and filaments. Useful also for removing insulation and cutting light sheet metal. Coil spring opens blades... latch holds them closed. Cushion grip Net \$3.07



TERMINAL WRENCHES

For spanner nuts on external antenna and earphone jacks of transistor radios and CB walkie-talkies. 3½" overall length.



Number	Handle Color	Spanner Nut O.D.	Net
TW32	Green	1/4"	\$.48
TW140	Red	5/16"	.48